



BS DECLARATION OF CONFORMITY

(System 3)

Issue No: SH-LR-001

Whiteline Manufacturing Ltd
26-36 Hawthorn Road
Eastbourne
East Sussex BN23 6QA

This document declares that the product:

Sheerline – Prestige Lantern Roof

**External pedestrian doorset for domestic and commercial buildings – non emergency exit use
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA & BS EN 1873**

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness ²	PASS	CWCT Sections 9 & Technical Note 41 for building envelopes for Watertightness.	¹ Report: S1 Lantern thermal Report ² Report: CW21276-CWCT ³ Report: 2020_2071_ Rev A: Garnalex Roof Lantern
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load	NPD	BS EN 12211	
Impact resistance	NPD	BS EN 13049	
Load-bearing capacity ³	NPD	BS EN	
Height & Width (mm)	NPD	BS EN 14351-1 2006+A2:2016	
Ability to release	Not applicable	BS EN 179 & BS EN 1125	
Acoustic performance	NPD	BS EN ISO 140-3	
Thermal transmittance ¹	1.7 W/m ² .k	EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2	
Radiation properties	NPD	EN 410	
Air permeability	NPD	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Ken Gray - Director

Date of Issue: 09 May 2023