



The following Esprit range of composite doors (originally called the “Contemporary Range”) may have letter plates installed using the specifications shown below. The door listed in the GRP Composite Door Range brochure that can have the letter plate installed are:


Esprit: C06L, C06C, C06R, C08, C09L, C09C, C09R, C17L, C17C, C17R




For further information please contact Whiteline Customer Services on 01323 723724

ESC06RL





ESC06RR



THREE LOCK OPTIONS AVAILABLE
 1.WINKHAUS KEY WIND. 2.WINKHAUS HERITAGE
 3.CUSTOMERS NORMAL SPEC

HEIGHT FROM THE BOTTOM OF THE DOOR TO THE
 KEY HOLE ARE AS FOLLOWS
 KEY WIND 928mm HERITAGE 1379.5 mm

TWO CONTEMPORARY T FULL HANDLE PREPS ARE
 AVAILABLE CENTRALLY IN THE DOOR HEIGHT.
 1. 1200mm HANDLE 2. 645mm HANDLE

LETTER PLATE POSITION 1143mm FROM TOP OF
 DOOR WHEN 2013-1943 IN HEIGHT. THEN 1942-1903
 IT IS 1142mm DOWN TO 1103mm


CASSETTE SPACINGS FOR MAXIMUM AND MINIMUM
 DOOR HEIGHTS AND DOOR WIDTHS AS BELOW

MAX DOOR WIDTH	900mm	HORIZONTAL SPACING A	159.5mm FROM EDGE
MAX DOOR HEIGHT	2013mm	VERTICAL SPACING B	125.5mm
MAX DOOR WIDTH	900mm	VERTICAL SPACING C	1199.3mm
MIN DOOR WIDTH	682mm	HORIZONTAL SPACING A	159.5mm FROM EDGE
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING B	85.5mm
MIN DOOR WIDTH	682mm	VERTICAL SPACING C	1159.3mm

ESC08R

Distinction doors

ESC08L




CUSTOMERS OWN NORMAL LOCK SPEC ONLY

LETTER PLATE POSITION IS CENTRAL IN HEIGHT

CASSETTE SPACINGS FOR MAXIMUM AND MINIMUM DOOR HEIGHTS AND DOOR WIDTHS AS BELOW


MAX DOOR WIDTH	900mm	HORIZONTAL SPACING A	150mm
MAX DOOR HEIGHT	2013mm	VERTICAL SPACING B	200mm
MAX DOOR HEIGHT	2013mm	VERTICAL SPACING C	120mm
MAX DOOR HEIGHT	2013mm	VERTICAL SPACING E	345mm
MIN DOOR WIDTH	740mm	HORIZONTAL SPACING A	70mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING B	200mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING C	120mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING E	235mm



ESC09LL

Distinction doors

ESC09LR



THREE LOCK OPTIONS AVAILABLE
 1.WINKHAUS KEY WIND 2.WINKHAUS HERITAGE
 3.CUSTOMERS NORMAL SPEC


HEIGHT FROM THE BOTTOM OF THE DOOR TO THE KEY HOLE ARE AS FOLLOWS
 KEY WIND 928mm HERITAGE 1379.5 mm

TWO CONTEMPORARY FULL HANDLE PREPS ARE AVAILABLE CENTRALLY IN THE DOOR HEIGHT.
 1. 1200mm HANDLE 2. 545mm HANDLE


LETTER PLATE POSITION IS CENTRAL IN HEIGHT

CASSETTE SPACINGS FOR MAXIMUM AND MINIMUM DOOR HEIGHTS AND DOOR WIDTHS AS BELOW

MAX DOOR HEIGHT	2013mm	VERTICAL SPACING B	200.2mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING B	178.2mm
MAX DOOR WIDTH	900mm	HORIZONTAL SPACING A	159.5mm FROM EDGE
MIN DOOR WIDTH	682mm	HORIZONTAL SPACING A	159.5mm FROM EDGE



ESC17CL



Distinction doors

THREE LOCK OPTIONS AVAILABLE
 1.WINKHAUS KEY WIND. 2.WINKHAUS HERITAGE
 3.CUSTOMERS NORMAL SPEC

HEIGHT FROM THE BOTTOM OF THE DOOR TO THE KEY HOLE ARE AS FOLLOWS
 KEY WIND 928mm HERITAGE 1379.5 mm


TWO CONTEMPORARY T PULL HANDLE PREPS ARE AVAILABLE CENTRALLY IN THE DOOR HEIGHT.
 1. 1200mm HANDLE 2. 545mm HANDLE

LETTER PLATE POSITION IS CENTRAL IN HEIGHT


CASSETTE SPACINGS FOR MAXIMUM AND MINIMUM DOOR HEIGHTS AND DOOR WIDTHS AS BELOW

MAX DOOR HEIGHT	2013mm	VERTICAL SPACING B	238.6mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING B	216.6mm
MAX DOOR WIDTH	900mm	HORIZONTAL SPACING A	CENTRAL IE 450mm
MIN DOOR WIDTH	682mm	HORIZONTAL SPACING A	CENTRAL IE 341mm

ESC17CR



ESC17LL



Distinction doors

THREE LOCK OPTIONS AVAILABLE
 1.WINKHAUS KEY WIND. 2.WINKHAUS HERITAGE
 3.CUSTOMERS NORMAL SPEC

HEIGHT FROM THE BOTTOM OF THE DOOR TO THE KEY HOLE ARE AS FOLLOWS
 KEY WIND 928mm HERITAGE 1379.5 mm


TWO CONTEMPORARY T PULL HANDLE PREPS ARE AVAILABLE CENTRALLY IN THE DOOR HEIGHT.
 1. 1200mm HANDLE 2. 545mm HANDLE

LETTER PLATE POSITION IS CENTRAL IN HEIGHT


CASSETTE SPACINGS FOR MAXIMUM AND MINIMUM DOOR HEIGHTS AND DOOR WIDTHS AS BELOW

MAX DOOR HEIGHT	2013mm	VERTICAL SPACING B	238.6mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING B	216.6mm
MAX DOOR WIDTH	900mm	HORIZONTAL SPACING A	159.5mm FROM EDGE
MIN DOOR WIDTH	682mm	HORIZONTAL SPACING A	159.5mm FROM EDGE

ESC17LR



ESC17RL



Distinction doors

THREE LOCK OPTIONS AVAILABLE
 1.WINKHAUS KEY WIND. 2.WINKHAUS HERITAGE
 3.CUSTOMERS NORMAL SPEC

HEIGHT FROM THE BOTTOM OF THE DOOR TO THE
 KEY HOLE ARE AS FOLLOWS
 KEY WIND 928mm. HERITAGE 1379.5 mm

TWO CONTEMPORARY T PULL HANDLE PREPS ARE
 AVAILABLE CENTRALLY IN THE DOOR HEIGHT.
 1. 1200mm HANDLE 2. 545mm HANDLE

LETTER PLATE POSITION IS CENTRAL IN HEIGHT

CASSETTE SPACINGS FOR MAXIMUM AND MINIMUM
 DOOR HEIGHTS AND DOOR WIDTHS AS BELOW

MAX DOOR HEIGHT	2013mm	VERTICAL SPACING B	238.6mm
MIN DOOR HEIGHT	1903mm	VERTICAL SPACING B	216.6mm
MAX DOOR WIDTH	900mm	HORIZONTAL SPACING A	159.5mm FROM EDGE
MIN DOOR WIDTH	682mm	HORIZONTAL SPACING A	159.5mm FROM EDGE

ESC17RR

