



BS DECLARATION OF CONFORMITY

(System 3)

Issue No: SH-PSD-002

Whiteline Manufacturing Ltd

26-36 Hawthorn Road

Eastbourne

East Sussex BN23 6QA

This document declares that the product:

Sheerline – Prestige Single Doorsets

External pedestrian doorset for domestic and commercial buildings – non emergency exit use

Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA

| Essential Characteristics | Performance | Test Standards | Test Source Data |
|---|-------------------------|--|---|
| Watertightness ² | Class 2A | BS EN 1027 | ¹ Build Check (UKAS 4044) Report: CU21581-6 ² BSI (UKAS 0135) Report: 3498703 A2 |
| Dangerous substances | None | BS EN 14351-1: 2006+A2:2016 | |
| Resistance to wind load ² | Class C3 | BS EN 12211 | |
| Impact resistance | NPD | BS EN 13049 | |
| Load-bearing capacity of safety devices | Not fitted | BS EN 948 | |
| Height & Width (mm) | NPD | BS EN 14351-1 2006+A2:2016 | |
| Ability to release | Not applicable | BS EN 179 & BS EN 1125 | |
| Acoustic performance | NPD | BS EN ISO 140-3 | |
| Thermal transmittance ¹ | 1.4 W/m ² .k | EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2 | |
| Radiation properties | NPD | EN 410 | |
| Air permeability ² | Class 2 | BS EN 1026 | |

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Ken Gray - Director

Date of Issue: 17 May 2022