



BS DECLARATION OF CONFORMITY

(System 3)

Issue No: SH-PTTC-002

Whiteline Manufacturing Ltd

26-36 Hawthorn Road

Eastbourne

East Sussex BN23 6QA

This document declares that the product:

Sheerline – Prestige Tilt & Turn Casement Windows

For domestic and commercial buildings – non-escape routes

Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA

| Essential Characteristics | Performance | Test Standards | Test Source Data |
|---|-------------------------|--|--|
| Watertightness ³ | Class 7A | BS EN 1027 | ¹ Build Check (UKAS 4044) Report: CU21581-5 ² BSI (UKAS 0135) Report: 3492714 |
| Dangerous substances | None | BS EN 14351-1: 2006+A2:2016 | |
| Resistance to wind load | Class CE2400 | BS EN 12211 | |
| Load-bearing capacity of safety devices | None Fitted | BS EN 14609 | |
| Acoustic performance ³ | NPD | BS EN ISO 140-3 | |
| Thermal transmittance ¹ | 1.4 W/m ² .k | EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2 | |
| Radiation properties | NPD | EN 410 | |
| Air permeability ³ | Class 4 | BS EN 1026 | |

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Ken Gray - Director

Date of Issue: 17 May 2022